

**Chapter 8: Electron Configuration and Periodic Trends**

1. Which of the following full sets of quantum numbers is incorrect?

- a) The  $e^-$  gained from  $\text{Br} \rightarrow \text{Br}^-$ ;  $n=4, l=1, m_l=+1, m_s=-1/2$
- b) The outermost  $e^-$  in Rb;  $n=5, l=0, m_l=0, m_s=+1/2$
- c) The 6<sup>th</sup>  $e^-$  in O;  $n=2, l=0, m_l=0, m_s=+1/2$
- d) The 3<sup>rd</sup>  $e^-$  in F;  $n=2, l=0, m_l=0, m_s=+1/2$
- e) The 8<sup>th</sup>  $e^-$  in O;  $n=2, l=1, m_l=-1, m_s=-1/2$

2. Which of the following electron configurations are correct?

I. Hg:  $[\text{Xe}] 6s^2 4f^{14} 5d^{10}$  II. Mo:  $[\text{Kr}] 5s^1 4d^5$  III. Cr:  $[\text{Ar}] 4s^2 3d^4$  IV. Au:  $[\text{Xe}] 6s^2 4f^{14} 5d^9$  V. Cu:  $[\text{Ar}] 4s^1 3d^{10}$

- a) I, III, V
- b) II, IV
- c) I, II, V
- d) None
- e) All

3. Which of the following electron configurations for these ions are correct?

I.  $\text{Ca}^{2+}$ :  $[\text{Ar}] 4s^2$  II.  $\text{V}^{3+}$ :  $[\text{Ar}] 3d^2$  III.  $\text{S}^{2-}$ :  $[\text{Ne}] 3s^2 3p^6$  IV.  $\text{Cr}^{3+}$ :  $[\text{Ar}] 3d^3$  V.  $\text{Br}^-$ :  $[\text{Ar}] 5s^2 4d^{10} 5p^6$

- a) All
- b) I, V
- c) II, IV, V
- d) III, V
- e) II, III, IV

4. Rank these elements by their increasing atomic size.

- a)  $\text{Sr} < \text{Ca} < \text{Mg}$
- b)  $\text{Rb} < \text{Br} < \text{Kr}$
- c)  $\text{Se} < \text{Br} < \text{Cl}$
- d)  $\text{Xe} < \text{I} < \text{Ba}$
- e)  $\text{K} < \text{P} < \text{F}$

5. Rank these elements by increasing  $\text{IE}_1$ .

- a)  $\text{Cs} < \text{Xe} < \text{I}$
- b)  $\text{Kr} < \text{Ar} < \text{He}$
- c)  $\text{Rb} < \text{Ca} < \text{K}$
- d)  $\text{Sn} < \text{Sb} < \text{I}$
- e) A and C
- f) B and D

6. Which of the following statements on successive IE is true?

- a) Between Rb, Sr, and Y, Rb has the highest  $IE_2$
- b) Between Rb, Sr, and Y, Sr has the highest  $IE_2$
- c) Between Na, Mg, Al, and Si, Al has the highest  $IE_4$
- d) Between Na, Mg, Al, and Si, Si has the highest  $IE_4$
- e) A and C
- f) B and D

7. Which of the following ions are paramagnetic?

I.  $Co^{3+}$       II.  $La^{3+}$       III.  $Cr^{3+}$       IV.  $V^{3+}$       V.  $Zn^{2+}$

- a) I, III, IV
- b) I, III, V
- c) II, V
- d) All
- e) None

8. Which of the following ions are diamagnetic?

I.  $Os^{3+}$       II.  $Hg^{2+}$       III.  $Ni^{2+}$       IV.  $Zr^{2+}$       V.  $Zn^{2+}$

- a) II, III, IV
- b) II, V
- c) I, V
- d) All
- e) None

9. Which ions are ranked correctly by decreasing size?

I.  $Sr^{2+} > Ca^{2+} > Mg^{2+}$     II.  $S^{2-} > Cl^- > K^+$     III.  $Mg^{2+} > Na^+ > F^-$     IV.  $Ba^{2+} > Cs^+ > I^-$     V.  $P^{3-} > S^{2-} > Cl^-$

- a) I, III, V
- b) II, IV
- c) I, II, V
- d) I, IV, V
- e) II, III, IV, V

### **Chapter 9: Chemical Bonding Models**

10. Which of the following is the correct order for increasing bond length?


C-C, C=C, C≡C

- a)  $C≡C < C=C < C-C$
- b)  $C=C < C≡C < C-C$
- c)  $C-C < C=C < C≡C$
- d)  $C≡C < C-C < C=C$

11. How are bond length and bond strength related?

- a) Inversely related
- b) Directly related
- c) Length =  $\frac{1}{2}$  Strength
- d) Strength =  $\frac{1}{2}$  Length

12. Calculate the enthalpy of the reaction.



Given the following bond energies:

C-C 347 kJ/mol

C-H 413 kJ/mol

H-H 432 kJ/mol

C=C 614 kJ/mol

C-Cl 339 kJ/mol

H-Cl 427 kJ/mol






C $\equiv$ C 839 kJ/mol

Cl-Cl 243 kJ/mol

- a) -1078 kJ
- b) +168 kJ
- c) -168 kJ
- d) +563 kJ
- e) -563 kJ

### Chapter 10: Molecular Geometry

13. Which of the following Lewis structures is incorrect?



14. Draw  $\text{NO}_3^-$  and its resonance structures. Calculate its formal charges.

15. Which of the following are exceptions to the octet rule?

I.  $\text{PCl}_5$  II.  $\text{BeCl}_2$  III.  $\text{CH}_4$  IV.  $\text{SF}_6$  V.  $\text{H}_2\text{O}$

- a) I, III, V
- b) I, II, IV
- c) II, IV
- d) I, II, V
- e) II, III, IV

16. VSEPR Theory. Fill in the following chart including the structure, bond angles, shape name, and AX<sub>y</sub>E<sub>z</sub> format.

VSEPR Geometries					
Electron Pairs ↓	0 Lone Pair	1 Lone Pair	2 Lone Pairs	3 Lone Pairs	4 Lone Pairs
2					
3					
4					
5					
6					

17. What is the electron geometry and molecular geometry for SF<sub>2</sub>?

- a) Tetrahedral, tetrahedral
- b) Linear, linear
- c) Tetrahedral, bent
- d) Trigonal bipyramidal, T-shaped
- e) Trigonal bipyramidal, Linear

18. What are the electron geometry, molecular geometry, and bond angles for  $\text{ICl}_2^-$ ?

- a) Trigonal bipyramidal, T-shaped,  $<90^\circ$
- b) Tetrahedral, Trigonal pyramidal,  $<109.5^\circ$
- c) Tetrahedral, Bent,  $\ll 109.5^\circ$
- d) Linear, Linear,  $180^\circ$
- e) Trigonal bipyramidal, Linear,  $180^\circ$


19. Which of the following molecules are polar?

I.  $\text{NH}_3$       II.  $\text{BF}_3$       III.  $\text{COS}$       IV.  $\text{XeF}_4$       V.  $\text{IF}_5$

- a) I, III, V
- b) I, II, III
- c) II, III, V
- d) All
- e) None

20. How many  $\sigma$  bonds are in this molecule?

- a) 20
- b) 36
- c) 17
- d) 19
- e) 16



21. For the previous structure, what are the hybridizations of the C, N, and O atoms?

- a) C:  $sp^2$ ; N (ring):  $sp^2$ ; N:  $sp^3$ ; O:  $sp^2$
- b) C (ring):  $sp^3$ ; C (other):  $sp^2$ ; N (all):  $sp^2$ ; O:  $sp^2$
- c) C:  $sp^2$ ; N:  $sp^2$ ; O:  $sp^2$
- d) C:  $sp^3$ ; N (ring):  $sp^2$ ; N:  $sp^3$ ; O:  $sp^2$

22. Which of the following statements is/are likely true:

- a)  $\text{NH}_3$  should have a higher boiling point than  $\text{CH}_4$
- b)  $\text{PH}_3$  should have a higher boiling point than  $\text{NH}_3$
- c)  $\text{SO}_2$  should have a higher boiling point than  $\text{CO}_2$
- d) A and C
- e) All of the above

23. Draw the molecular orbital diagram for F<sub>2</sub>.

24. Draw the molecular orbital diagram for C<sub>2</sub>.

25. Which MO are affected by the mixing of s and p orbitals?


I. N<sub>2</sub>   II. C<sub>2</sub>   III. O<sub>2</sub>   IV. F<sub>2</sub>   V. B<sub>2</sub>   VI. Ne<sub>2</sub>

- a) I, II, III, V
- b) I, II, V
- c) I, III, IV, VI
- d) II, III, IV
- e) III, IV, VI

26. Draw the MO for NO.

27. How many  $\sigma$  bonds are in this structure?

- a) 25
- b) 26
- c) 19
- d) 18
- e) 29



28. What are the hybridizations of each C, N, and O atom?

- a) C (all):  $sp^2$ ; O:  $sp^3$ ; N:  $sp^2$
- b) C (ring):  $sp^3$ ; C (other):  $sp^2$ ; O:  $sp^2$ ; N:  $sp^3$
- c) C (all):  $sp^3$ ; O:  $sp^2$ ; N:  $sp^2$
- d) C (ring):  $sp^2$ ; C (other):  $sp^3$ ; O:  $sp^3$ ; N:  $sp^3$

29. Which of the following is true about  $\sigma$  bonding and  $\pi$  bonding.

- I. A single bond has 1  $\sigma$  bond.
- II. A single bond has 1  $\pi$  bond.
- III. A double bond has 1  $\sigma$  bond and 1  $\pi$  bond.
- IV. A double bond has 2  $\pi$  bonds.
- V. A double bond has 2  $\sigma$  bonds.
- VI. A triple bond has 3  $\pi$  bonds.
- VII. A triple bond has 1  $\sigma$  and 2  $\pi$  bonds.
- VIII. A triple bond has 3  $\sigma$  bonds.

- a) II, III, V, VIII
- b) I, III, VII
- c) I, V, VI
- d) II, IV, VIII
- e) I, IV, VI

30. Which hybridization will a molecule with a trigonal bipyramidal electron-group arrangement have?

- a)  $sp$
- b)  $sp^2$
- c)  $sp^3$
- d)  $sp^3d$
- e)  $sp^3d^2$